



D25810K-B5

5Kg SDS Max Dedicated Chipping Hammer 220V

FEATURES

- Ideal for light demolition, surface preparation or chiseling grooves and channel openings in brick, masonry and light concrete
- Oil filled gearbox ensures total component lubrication and superior heat dissipation
- Excellent power to weight ratio: 8 Joules of impact energy delivered by a 5.8 kg hammer
- Variable chisel locking at 18 different positions to provide the perfect angles for any application
- Ergonomic, compact and slim line design maximizes control and offers easy access to confined spaces
- Unique dust sealing protection to prevent even the finest dust ingress into the hammer mechanism delivering high durability and extended tool life
- Efficient mechanism delivers impact blows directly to the bit without losses through excessive vibration and rebound dampening reduces stress to the tool
- Soft rubber grip handles improve user comfort lowering fatigue during extended use

SPECIFICATIONS

Tool Holder	SDS-Max
Power Input	1150 Watts
Power Output	500 Watt
Impact energy (EPTA 05/2009)	8 J
Blows per Minute	2740 bpm
Weight	5.8 kg
Length	457 mm
Height	245 mm
Width	104 mm
Hand/Arm Vibration - Chiseling	13.2 m/s ²
Uncertainty K 2 (Vibration)	1.6 m/s ²
Sound Pressure	94 dB(A)
Sound Pressure Uncertainty	3 dB(A)
Sound Power	104 dB(A)
Sound Power Uncertainty	3 dB(A)